

I

INDEX

- abnormal operation, 18, 103, 220, 239, 270, 291, 324
- access security, 3, 4, 5, 7, 12, 15, 24, 34, 59, 76, 86, 111, 113, 114, 120, 131, 141, 165, 198, 204, 209, 215, 216, 239, 244, 261, 268, 282, 301, 304, 306, 307, 348, 355, 360, 362, 365
- administrative controls, 34, 59, 151, 209, 219, 239, 261, 309, 318, 355, 357, 365
- alarm management, 139, 171, 239, 282
- ALARP, 50, 239, 389, 390, 393
- allocation, 31, 46, 54, 63, 65, 76, 95, 110, 111, 112, 114, 120, 146, 156, 177, 201, 239, 262, 276, 281, 284
- allowable repair time, 7, 137, 153, 205, 209, 212, 221
- application program, 23, 28, 33, 115, 119, 120, 155, 160, 162, 169, 173, 174, 175, 176, 177, 178, 179, 180, 181, 183, 192, 193, 214, 218, 219, 239, 244, 262, 263, 359
- approved equipment list, 22, 23, 38, 85, 89, 90, 110, 117, 149, 151, 164, 199, 240, 336, 349, 366, 370
- assessment, 24
- audit, 2, 16, 20, 22, 23, 24, 26, 33, 34, 39, 42, 87, 89, 95, 111, 204, 214, 219, 228, 234, 237, 239, 240, 271, 301, 306, 307, 321, 362, 365, 368
- audit trail, 240, 301, 306, 362
- auditability, 2, 4, 5, 12, 15, 59, 86, 111, 198, 204, 240, 244, 268, 301, 306, 348
- availability, 15, 19, 35, 96, 135, 136, 137, 165, 211, 221, 237, 240, 241, 246, 264, 304, 305, 325, 343, 374, 375
- barrier, 241, 268, 294
- basic process control system (BPCS), 3, 31, 57, 78, 98, 111, 241, 242, 243, 271, 301, 311, 354, 357
- bathtub curve, 241, 314, 315, 317
- benchmark, 4, 75, 86, 241, 252, 261, 285, 311, 312, 313, 314, 330
- burner management system, 87, 241, 286, 287, 393
- burn-in, 189, 241, 314, 316
- bypass, 7, 8, 11, 24, 32, 33, 39, 87, 89, 90, 95, 98, 106, 129, 130, 133, 135, 136, 142, 143, 145, 147, 149, 158, 169, 171, 174, 175, 182, 193, 205, 209, 210, 211, 214, 216, 219, 239, 241, 251, 253, 254, 255, 276, 309, 324, 362, 368, 374, 379
- catastrophic, 5, 12, 19, 43, 49, 71, 74, 85, 86, 87, 98, 144, 221, 242, 260, 261, 311
- catastrophic incident, 12, 43, 49, 98, 221, 232, 242

- catastrophic release, 5, 19, 98, 242, 260, 261
- classification, 7, 21, 24, 37, 41, 43, 45, 46, 87, 99, 114, 130, 147, 165, 166, 199, 220, 242, 249, 264, 304, 325, 329, 348, 351, 360, 366, 379
- common cause failure, 62, 80, 108, 116, 119, 143, 146, 153, 167, 242, 311, 317, 318, 321, 322, 323, 324, 336, 337, 338, 359, 361, 363, 374, 377, 389
- common mode failure, 116, 122, 145, 165, 242, 321, 322, 323, 356
- communication, v, 7, 15, 41, 44, 74, 115, 131, 138, 167, 169, 174, 180, 181, 182, 184, 190, 195, 203, 204, 233, 242, 244, 246, 251, 253, 254, 257, 272, 273, 274, 299, 304, 306, 319, 324, 350, 352, 359, 360, 364, 365, 367, 381, 382
- compensating measures, 7, 8, 24, 61, 75, 89, 96, 106, 130, 133, 135, 137, 195, 205, 206, 207, 208, 209, 210, 211, 212, 214, 221, 243
- competence, 10, 35, 213, 243
- configuration management, 7, 8, 33, 34, 41, 120, 198, 215, 218, 243, 277, 308, 322, 348, 350, 362, 363, 369
- consequence severity, 15, 23, 31, 54, 57, 61, 63, 64, 65, 66, 68, 70, 71, 73, 74, 82, 90, 91, 171, 236, 241, 247, 249, 252, 255, 258, 259, 264, 268, 291, 294, 295, 298, 306
- continuous mode, 108, 152, 221, 243, 285, 305, 312, 330, 340, 356, 367
- control function, 77, 78, 79, 102, 103, 111, 112, 113, 152, 166, 243, 244, 245, 272, 273, 275, 276, 279, 355, 357, 365, 366
- control layer, 79, 152, 243, 271, 273, 274, 275
- control system, 74, 78, 100, 102, 113, 115, 138, 140, 143, 150, 159, 163, 165, 167, 175, 189, 207, 244, 245, 256, 272, 308, 340, 355, 357, 358, 359, 361, 365, 367, 368, 378, 379, 381, 387, 389, 393
- core attribute, 2, 4, 5, 8, 12, 14, 15, 17, 18, 19, 58, 59, 62, 65, 72, 75, 76, 78, 86, 88, 90, 93, 95, 110, 111, 112, 113, 114, 120, 142, 146, 155, 158, 163, 164, 166, 194, 196, 198, 204, 214, 217, 240, 241, 244, 245, 250, 252, 253, 254, 258, 265, 268, 275, 286, 301, 303, 304, 306, 308, 309, 312, 348, 349, 351, 360, 366, 367, 374, 383
- cost-benefit analysis, 114, 144, 244
- critical failure, 132, 244, 247, 250, 253, 317, 325, 326, 327, 328, 331, 349
- dangerous failure, 28, 31, 32, 33, 78, 108, 112, 116, 119, 121, 124, 125, 126, 128, 129, 130, 131, 132, 137, 145, 146, 147, 152, 153, 197, 209, 210, 211, 221, 222, 242, 244, 245, 253, 258, 273, 275, 311, 312, 314, 317, 318, 325, 326, 327, 328, 330, 331, 332, 334, 335, 340, 341, 350, 351, 355, 356, 368, 373, 374, 376, 377, 378, 382, 385
- de-energize to trip, 118, 244, 341, 371
- degraded failure, 133, 244, 328, 330
- demand mode, 108, 150, 152, 153, 221, 244, 252, 259, 286, 305, 312, 330, 335, 340
- demand rate, 78, 152, 245
- dependent failure, 31, 245, 323, 338

- design basis, 8, 13, 14, 21, 23, 24, 25, 37, 39, 40, 51, 52, 53, 64, 69, 80, 86, 87, 88, 89, 90, 93, 95, 108, 110, 116, 119, 132, 133, 135, 136, 137, 142, 143, 146, 147, 148, 149, 150, 155, 156, 157, 158, 159, 160, 162, 163, 164, 165, 166, 173, 174, 179, 181, 190, 191, 192, 194, 196, 197, 198, 204, 205, 209, 211, 212, 215, 216, 217, 218, 220, 221, 223, 236, 240, 243, 245, 255, 257, 261, 262, 263, 265, 271, 294, 309, 312, 317, 319, 321, 326, 348, 376, 384
- detected failure, 121, 125, 126, 130, 131, 165, 245, 260, 329, 334, 355, 358, 364
- diagnostic coverage, 131, 132, 244, 245, 317, 328, 334, 350, 393
- diagnostic interval, 245, 330, 335, 339
- early failure, 150, 241, 245, 264, 314, 316, 317, 352
- emergency shutdown system (ESD), 11, 57, 245, 252, 295, 296, 297, 298, 371, 373, 393
- enabling condition, 74, 246, 251
- energize to trip, 142, 167, 246, 373
- failure, 24
- failure cause, 121, 209, 243, 246, 322, 326
- failure mode, 68, 70, 101, 121, 130, 131, 132, 145, 146, 151, 166, 211, 245, 247, 259, 287, 291, 318, 321, 325, 326, 328, 334, 343, 350, 352, 353, 358, 377, 394
- failure mode and effects analysis (FMEA), 70, 132, 211, 247, 326, 394
- failure rate, 4, 79, 133, 134, 146, 152, 183, 240, 247, 248, 249, 255, 264, 265, 291, 305, 313, 314, 316, 317, 320, 325, 326, 327, 328, 329, 330, 331, 336, 338, 339, 341, 347, 355
- fault detection, 32, 87, 91, 95, 125, 130, 131, 152, 158, 174, 245, 319, 328, 356, 357, 362
- fault tolerance, 3, 4, 28, 32, 33, 108, 116, 120, 121, 122, 123, 124, 126, 128, 129, 145, 146, 147, 149, 152, 211, 242, 249, 275, 291, 312, 313, 351, 364, 368, 372, 385
- fault tolerant, 44, 121, 125, 126, 129, 130, 145, 209, 223, 231, 247, 318, 339, 361, 368, 378, 383, 385
- field experience, 27, 247, 354
- first out, 167, 190, 247
- function test, 248, 316
- functional assessment, 23, 24, 36, 38, 39, 40, 93, 95, 133, 147, 158, 160, 163, 223, 234, 248
- functionality, 1, 2, 4, 5, 7, 12, 13, 20, 23, 34, 42, 58, 76, 86, 88, 91, 95, 96, 99, 108, 110, 111, 147, 149, 158, 162, 175, 177, 178, 179, 181, 192, 198, 201, 204, 208, 210, 216, 218, 219, 234, 239, 244, 248, 256, 259, 262, 268, 301, 303, 304, 313, 348, 349, 354, 362, 380, 383
- grandfather, 27, 46, 47, 48, 65, 248, 361, 392
- grounding, 149, 165, 184, 187, 201, 248, 350, 375, 377, 380
- hazard rate, 31, 79, 108, 112, 113, 145, 151, 152, 166, 248, 249, 257, 260, 273, 275, 285, 286, 302, 312, 330, 340, 341, 355, 365

- hazardous event, 3, 7, 12, 20, 23, 24, 28, 31, 43, 45, 46, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 60, 61, 62, 63, 64, 65, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 85, 86, 87, 91, 93, 97, 98, 100, 101, 102, 103, 104, 105, 106, 107, 108, 111, 113, 114, 115, 120, 124, 135, 138, 139, 144, 146, 147, 152, 158, 171, 196, 207, 208, 213, 214, 215, 219, 220, 221, 222, 231, 243, 246, 249, 250, 251, 252, 253, 255, 256, 257, 258, 259, 260, 261, 263, 267, 268, 269, 273, 275, 276, 277, 278, 279, 280, 281, 282, 285, 286, 287, 291, 294, 295, 297, 299, 302, 303, 305, 311, 317, 330, 354, 355, 368, 376, 378, 381
- high demand mode, 152
- high integrity protective systems (HIPS), 57, 87, 149, 250, 253, 287, 289, 290, 291, 292, 293, 394
- human error, 4, 11, 29, 35, 37, 79, 91, 115, 135, 201, 203, 250, 255, 264, 307, 312, 318, 323, 330, 355, 356, 358, 365, 375, 376, 388
- human factors, 56, 132, 171, 197, 250, 280, 282, 394
- incident, 11, 17, 18, 20, 24, 26, 39, 43, 56, 61, 80, 103, 106, 130, 141, 169, 217, 221, 222, 225, 226, 228, 231, 233, 242, 243, 246, 248, 250, 252, 258, 260, 265, 268, 270, 274, 283, 289, 294, 295, 297, 299, 305, 306, 354
- incident investigation, 11, 26, 39, 222, 228, 250, 305
- incipient failure, 241, 250, 326
- independence, 2, 4, 5, 12, 35, 36, 58, 62, 69, 70, 76, 81, 86, 108, 111, 142, 143, 144, 151, 160, 164, 198, 204, 244, 248, 250, 261, 268, 275, 281, 301, 302, 303, 307, 322, 348, 356, 358, 360, 367, 384
- independent protection layer (IPL), 3, 4, 7, 23, 45, 50, 53, 61, 62, 63, 65, 68, 75, 76, 77, 79, 80, 91, 95, 246, 250, 268, 274, 278, 288, 295, 301, 356, 394
- inherent risk, 1, 57, 251, 267, 271, 286, 377
- inherently safer, 56, 57, 59, 69, 81, 105, 152, 211, 219, 251, 267, 269, 270, 271, 380, 388, 389
- initiating cause, 1, 23, 31, 54, 58, 61, 62, 74, 75, 76, 77, 78, 79, 80, 81, 90, 107, 113, 129, 146, 151, 152, 220, 246, 250, 251, 260, 268, 275, 278, 279, 281, 285, 295, 301, 302, 303, 304, 356, 368
- initiating event, 61, 62, 64, 65, 74, 81, 82, 91, 246, 251
- instrumented protective function (IPF), 23, 63, 76, 81, 88, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 110, 111, 117, 119, 120, 121, 122, 125, 126, 128, 129, 130, 133, 135, 136, 137, 142, 143, 144, 145, 146, 147, 149, 151, 152, 153, 158, 160, 162, 163, 164, 165, 171, 172, 173, 174, 175, 176, 177, 178, 180, 181, 182, 186, 190, 191, 192, 193, 195, 204, 207, 208, 209, 211, 213, 217, 218, 219, 220, 221, 222, 223, 231, 234, 243, 244, 247, 251, 304, 305, 312, 314, 317, 318, 319, 320, 321, 322, 323, 330, 336, 349, 352, 354, 368, 372, 374, 375, 376, 377, 381, 394
- instrumented protective system (IPS), v, 1, 2, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 17, 18, 20, 21, 22, 23, 24, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 51, 56, 63, 78, 80, 86, 87, 88, 89, 90, 91, 93, 96,

- 98, 102, 103, 105, 106, 107, 108, 116, 117, 120, 121, 122, 124, 130, 131, 132, 133, 134, 136, 138, 142, 143, 145, 147, 148, 149, 150, 151, 152, 155, 156, 157, 159, 162, 163, 164, 165, 166, 167, 168, 169, 175, 176, 180, 182, 183, 184, 185, 186, 187, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 227, 228, 229, 231, 234, 235, 236, 240, 241, 242, 244, 245, 246, 250, 251, 254, 262, 264, 274, 276, 284, 290, 297, 301, 303, 304, 305, 306, 308, 309, 313, 314, 316, 321, 330, 331, 335, 349, 354, 355, 361, 366, 369, 371, 373, 374, 375, 378, 379, 380, 381, 382, 394
- integrity, 2, 3, 4, 5, 7, 12, 28, 33, 35, 42, 44, 58, 63, 77, 86, 87, 91, 95, 106, 108, 111, 114, 140, 145, 146, 167, 176, 181, 183, 185, 189, 190, 198, 204, 210, 216, 223, 236, 240, 242, 244, 246, 252, 258, 261, 268, 271, 273, 276, 283, 285, 294, 295, 296, 301, 304, 305, 308, 311, 312, 313, 330, 348, 357, 358, 361, 363, 365, 368, 369, 372, 377, 380, 382, 383, 384, 390, 393, 394, 395
- integrity level (IL), 3, 28, 31, 86, 87, 108, 242, 246, 252, 258, 261, 285, 286, 311, 348, 356, 377, 383, 390, 391, 393, 394, 395
- k (SIL), 344
- layer of protection analysis (LOPA), 51, 68, 70, 82, 252, 388, 394
- logic solver, 63, 116, 119, 120, 121, 122, 129, 130, 131, 142, 146, 158, 165, 166, 167, 168, 169, 173, 175, 176, 181, 186, 187, 191, 218, 247, 251, 252, 257, 258, 260, 261, 272, 274, 284, 285, 297, 308, 317, 340, 353, 356, 357, 358, 360, 361, 364, 365, 378, 381, 383, 385
- management of change, 4, 5, 7, 12, 13, 15, 22, 23, 24, 32, 33, 36, 39, 40, 41, 59, 76, 86, 96, 111, 112, 113, 114, 120, 131, 137, 141, 148, 174, 178, 190, 194, 195, 196, 198, 204, 209, 212, 213, 215, 216, 218, 219, 221, 223, 228, 234, 236, 243, 244, 253, 255, 263, 268, 271, 277, 282, 283, 286, 301, 304, 309, 348, 355, 359, 363, 365, 394
- management system, v, 2, 4, 5, 6, 8, 9, 10, 13, 14, 15, 16, 17, 18, 19, 20, 28, 34, 35, 36, 40, 41, 42, 43, 44, 45, 47, 51, 62, 65, 74, 76, 77, 78, 79, 86, 88, 112, 113, 114, 131, 137, 145, 147, 148, 152, 155, 157, 190, 198, 210, 223, 227, 233, 234, 235, 240, 252, 253, 262, 264, 282, 283, 286, 298, 302, 303, 304, 306, 309, 312, 318, 321, 330, 350, 356, 360, 365, 393
- mean time to repair, 91, 95, 136, 253, 259, 327, 330, 366
- mechanical integrity, 1, 8, 9, 10, 14, 18, 22, 26, 28, 38, 39, 40, 86, 106, 133, 147, 150, 155, 162, 166, 197, 198, 200, 204, 210, 217, 220, 223, 227, 228, 231, 234, 236, 237, 246, 253, 259, 261, 268, 305, 330, 344, 353
- mitigation, 253, 256, 288, 295
- mitigative layer, 76, 253, 268, 287, 297
- modes of operation, 152, 252
- normal operation, 49, 74, 98, 138, 140, 244, 253, 254, 270, 273, 290, 357

- operating basis, 7, 8, 24, 28, 31, 34, 38, 41, 42, 71, 77, 93, 152, 163, 197, 199, 200, 201, 205, 212, 215, 222, 254, 298, 311, 319, 323, 349
- operating environment, 4, 27, 38, 85, 87, 89, 98, 108, 117, 133, 145, 146, 147, 149, 150, 152, 155, 164, 165, 166, 172, 194, 221, 239, 240, 241, 252, 254, 255, 264, 286, 287, 305, 312, 318, 322, 324, 325, 328, 336, 338, 347, 348, 350, 351, 352, 353, 354, 366, 371
- operating mode, 1, 31, 33, 72, 74, 78, 95, 96, 97, 98, 137, 140, 152, 158, 192, 206, 208, 209, 212, 222, 254, 257, 260, 282, 303
- operating procedures, 40, 41, 57, 89, 116, 171, 192, 199, 200, 201, 205, 206, 208, 209, 212, 213, 221, 228, 243, 254, 260, 271, 272, 278, 283
- operator interface, 74, 111, 120, 130, 131, 137, 138, 139, 147, 162, 167, 169, 174, 182, 186, 187, 191, 242, 244, 250, 254, 272, 276, 279, 281, 308, 357, 378, 379
- pass/fail, 181, 255
- permissive, 98, 143, 158, 174, 178, 255, 263, 286
- personnel, 236
- pre-startup safety review, 39, 41, 157, 163, 195, 196, 255, 388, 395
- prevention, v, 3, 43, 223, 232, 255, 256, 295, 299, 388, 391
- preventive layer, 51, 78, 111, 255, 268, 311
- preventive maintenance, 7, 24, 85, 106, 133, 134, 136, 145, 150, 158, 197, 205, 210, 215, 234, 255, 273, 287, 302, 303, 316, 326, 328, 330, 331, 336, 347, 349, 350, 351, 353, 383
- prior use, 121, 255, 324, 338, 352, 353
- probability, 58, 86, 108, 117, 131, 134, 145, 207, 239, 240, 241, 245, 247, 248, 250, 252, 255, 256, 258, 259, 264, 283, 285, 286, 294, 302, 304, 308, 312, 317, 318, 319, 322, 330, 332, 334, 335, 338, 339, 351, 352, 377, 391, 394
- probability of failure on demand (PFD), 108, 117, 131, 134, 145, 256, 259, 285, 286, 304, 330, 332, 333, 334, 335, 336, 394
- process demand, 13, 18, 29, 47, 56, 113, 152, 197, 220, 221, 222, 244, 247, 256, 264, 286, 293, 295, 304, 335, 354, 356, 376, 378
- process risk, 1, 3, 4, 15, 16, 31, 35, 47, 48, 50, 61, 62, 70, 71, 76, 80, 82, 91, 107, 145, 200, 219, 256, 264, 269, 270, 278, 285, 286, 306, 311, 377, 388
- process safety management, v, 3, 6, 47, 256, 389, 391, 395
- process safety time, 95, 96, 100, 103, 104, 105, 107, 137, 138, 153, 158, 171, 172, 207, 208, 256, 281, 293, 322, 326, 364, 371, 373, 378
- programmable electronic (PE), 3, 11, 12, 27, 28, 114, 115, 119, 120, 121, 122, 141, 142, 150, 167, 168, 170, 173, 177, 181, 191, 218, 251, 257, 260, 262, 263, 272, 308, 353, 357, 358, 361, 362, 363, 369, 381, 390, 393, 394
- programmable electronic system (PES), 11, 12, 28, 114, 115, 116, 119, 122, 218, 251, 255, 257, 262, 272, 358, 361, 362, 363, 364, 375, 377, 382, 390, 393, 394

- programmable logic controller (PLC), 78, 182, 257, 357, 358, 361
- proof test, 4, 7, 8, 18, 24, 32, 33, 34, 39, 42, 44, 48, 72, 76, 85, 86, 87, 91, 93, 95, 96, 106, 115, 116, 120, 125, 129, 130, 131, 133, 134, 135, 136, 142, 145, 146, 150, 157, 165, 191, 192, 197, 198, 199, 205, 208, 209, 210, 211, 212, 215, 217, 218, 221, 222, 240, 248, 255, 256, 257, 264, 268, 270, 276, 291, 303, 317, 318, 319, 323, 328, 330, 331, 332, 334, 335, 336, 339, 347, 349, 351, 353, 354, 358, 363, 368, 369, 383
- protection layer, 19, 23, 31, 45, 50, 54, 56, 57, 58, 59, 60, 62, 65, 68, 76, 82, 90, 91, 98, 99, 103, 104, 107, 111, 144, 146, 151, 152, 235, 239, 240, 244, 245, 248, 250, 251, 252, 253, 254, 256, 257, 258, 259, 261, 267, 269, 270, 286, 289, 295, 301, 302, 303, 304, 305, 306, 308, 309, 322, 348, 355, 356, 360, 366, 373, 394
- protective equipment, 4, 45, 53, 87, 148, 258, 268, 348
- protective function, 1, 23, 46, 50, 51, 54, 62, 63, 64, 65, 75, 76, 77, 78, 80, 81, 82, 83, 90, 91, 97, 103, 110, 120, 145, 152, 174, 208, 244, 251, 256, 258, 259, 264, 268, 275, 279, 283, 284, 285, 287, 294, 302, 304, 311, 313, 317, 326, 347, 363, 366, 367, 373, 394
- protective instrumented system (PIS), 57, 87, 114, 115, 252, 255, 256, 258, 284, 285, 286, 289, 302, 303, 340, 349, 364, 365, 367, 368
- protective system, 43, 52, 55, 57, 72, 87, 239, 240, 241, 245, 246, 248, 256, 258, 263, 284, 293, 296, 394
- qualitative analysis, 71, 247, 258, 326
- quantitative analysis, 68, 151, 258, 297, 320
- quantitative risk assessment (QRA), 54, 70, 71, 214, 258, 395
- random failure, 13, 145, 151, 183, 245, 258, 270, 286, 311, 317, 318, 320, 324, 325, 329, 363
- recommendation, 83, 133, 223, 255, 258
- redundancy, 44, 85, 86, 87, 95, 106, 116, 124, 146, 158, 160, 164, 183, 217, 218, 258, 317, 321, 323, 353, 362, 370, 374, 382, 383, 389
- reliability, 2, 4, 5, 6, 7, 10, 12, 13, 19, 20, 23, 32, 34, 40, 42, 50, 58, 61, 70, 85, 86, 88, 89, 90, 91, 95, 96, 105, 106, 107, 108, 110, 111, 114, 115, 119, 128, 129, 133, 135, 140, 145, 146, 147, 148, 159, 167, 183, 198, 201, 204, 207, 209, 216, 220, 222, 223, 233, 234, 235, 244, 250, 256, 258, 268, 274, 276, 291, 301, 305, 312, 313, 328, 337, 343, 348, 353, 357, 358, 360, 361, 363, 368, 369, 370, 372, 376, 380, 382, 383, 384, 385, 386, 388, 389, 391, 392, 394
- response layer, 259, 268, 299
- risk, 24
- risk assessment, 2, 4, 8, 9, 14, 23, 43, 45, 46, 49, 50, 51, 52, 59, 63, 64, 65, 66, 69, 75, 77, 82, 88, 89, 90, 91, 105, 107, 145, 147, 222, 259, 273, 286, 287, 304, 305, 311, 356, 378, 391
- risk criteria, 7, 10, 13, 19, 31, 46, 50, 51, 52, 53, 57, 59, 61, 62, 63, 65, 66, 68, 69, 70, 79, 80, 82, 91, 106,

107, 110, 145, 208, 233, 251, 259, 270, 285, 311

risk management, 9, 10, 15, 16, 18, 20, 50, 74, 85, 91, 259, 306, 314, 395

risk matrix, 66, 68, 71, 259

risk reduction factor, 63, 77, 78, 79, 120, 259, 277, 285, 297, 304, 356, 395

root cause, 17, 152, 217, 220, 221, 232, 234, 246, 250, 260, 264, 282, 318, 319, 321, 323, 331

safe failure, 18, 128, 129, 137, 223, 253, 260, 326, 328, 339, 364, 395

safe failure fraction, 260, 328, 364, 395

safe state, 1, 4, 57, 62, 82, 83, 95, 96, 97, 100, 101, 102, 103, 104, 111, 119, 121, 122, 126, 129, 132, 138, 140, 143, 145, 146, 150, 153, 158, 171, 172, 190, 207, 208, 220, 239, 246, 247, 255, 256, 258, 259, 260, 261, 262, 263, 265, 268, 274, 276, 281, 282, 284, 287, 291, 295, 304, 305, 313, 326, 328, 355, 356, 358, 362, 364, 366, 367, 371, 373, 374, 376, 377, 378, 381, 383

safeguard, 2, 75, 76, 136, 209, 217, 260, 279

Safety, 1

safety configured, 119, 358, 363, 383

safety critical, 260, 261

safety equipment, 45, 260, 261, 297, 347

safety function, 28, 31, 46, 64, 112, 114, 251, 252, 261, 275, 355, 356, 358

safety instrumented function (SIF), 28, 31, 33, 47, 108, 111, 113, 114, 217, 241, 261, 272, 345, 348, 355, 378, 390, 395

safety instrumented system (SIS), ii, 3, 4, 5, 27, 28, 29, 30, 31, 32, 33, 34, 35, 46, 47, 48, 57, 65, 85, 86, 87, 93, 95, 98, 100, 101, 111, 112, 113, 114, 115, 116, 119, 121, 122, 132, 150, 166, 177, 196, 197, 241, 245, 248, 250, 255, 256, 261, 272, 284, 289, 290, 291, 297, 302, 308, 321, 348, 349, 351, 353, 354, 355, 356, 357, 358, 359, 360, 361, 363, 364, 365, 367, 368, 370, 372, 381, 383, 384, 385, 386, 389, 390, 392, 395

safety integrity level (SIL), 3, 4, 28, 31, 32, 86, 87, 118, 119, 120, 121, 122, 142, 261, 291, 348, 351, 356, 363, 368, 377, 383, 384, 385, 386, 390, 395

safety manual, 119, 122, 135, 137, 142, 150, 199, 261, 321, 347, 349, 351, 352, 360

safety PES, 122, 358, 359, 363, 364

safety requirement specification (SRS), 395

safety requirements specification (SRS), 29, 31, 93, 261

safety shutdown system, 261

safety system, 45, 51, 57, 86, 163, 228, 251, 252, 253, 260, 261, 287, 289, 293, 387, 394

security, 2, 5, 111, 112, 120, 147, 163, 198, 216, 219, 261, 263, 301, 306, 307, 308, 309, 350, 358, 360, 365, 366, 382, 389, 392

separate, 3, 4, 78, 149, 151, 160, 164, 167, 174, 178, 261, 275, 282,

- 302, 355, 356, 361, 364, 365, 366, 367, 375, 377, 378, 380
- separation, 78, 111, 112, 113, 114, 115, 116, 140, 145, 146, 166, 167, 169, 206, 210, 241, 251, 258, 261, 272, 275, 283, 284, 289, 290, 302, 303, 355, 358, 359, 360, 364, 365, 376, 379, 383
- spurious operation, 105, 115, 116, 125, 126, 134, 135, 145, 195, 222, 223, 263, 312, 353
- spurious trip rate (STR), 19, 100, 106, 125, 145, 146, 263, 305, 312, 313, 339, 340, 341, 342, 352, 395
- supervisory layer, 78, 79, 263, 276, 279
- support system, 62, 111, 117, 119, 122, 133, 135, 142, 146, 180, 193, 241, 244, 246, 251, 254, 258, 261, 263, 264, 284, 296, 317, 319, 336, 338, 339, 340, 356, 357, 364, 366, 371, 378, 383, 385, 387, 393
- systematic failure, 242, 264, 291, 319, 320
- test interval, 44, 85, 117, 122, 125, 128, 133, 134, 135, 136, 149, 212, 217, 257, 264, 277, 298, 319, 330, 331, 332, 334, 335, 340, 351, 383, 395
- trip, 24
- undetected failure, 264, 328, 329, 330
- uninterruptible power supply (UPS), 120, 187, 264, 375, 376, 377, 378, 379, 395
- user approval, 27, 34, 89, 149, 150, 152, 153, 166, 173, 240, 264, 286, 318, 322, 325, 348, 349, 351, 352, 355, 365, 366, 370, 382, 383, 392
- user approved, 108, 117, 119, 121, 131, 147, 149, 166, 168, 218, 223, 312, 338, 347, 348, 351, 354, 360, 367, 375, 382
- validation, 2, 8, 9, 14, 23, 33, 34, 38, 39, 101, 114, 120, 155, 156, 157, 158, 160, 161, 162, 164, 171, 173, 174, 175, 176, 179, 180, 181, 182, 183, 186, 189, 191, 192, 195, 196, 211, 263, 265, 316, 322, 334, 350, 355, 358, 362, 365
- verification, 2, 4, 16, 23, 24, 30, 32, 33, 35, 36, 37, 61, 63, 95, 96, 101, 108, 124, 135, 145, 146, 160, 162, 171, 173, 174, 176, 177, 178, 179, 183, 186, 188, 191, 193, 195, 196, 201, 209, 214, 217, 228, 263, 265, 278, 302, 312, 313, 317, 321, 325, 330, 356, 374, 377
- voting, 85, 100, 101, 116, 121, 122, 123, 124, 125, 126, 127, 128, 129, 136, 145, 146, 158, 167, 193, 265, 312, 317, 322, 336, 358, 382, 383
- wear-out failure, 265, 316, 317, 352
- worst credible scenario, 61, 73, 265